



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



Case Vehicle (A): 1998 Dodge Type: Durango 4 x 4, 4-door SUV

Driver: 36-year-old female

CDC: 12-FDEW-1

Veh. (B): 2000 Saturn Type: SL2, 4-door sedan Driver: 45-year-old female

CDC: 99-0000-0

SITUATION

This is a fatal crash; the driver of vehicle (B) died at the accident scene and was pronounced dead at local area hospital, no autopsy was performed.

(Slide 1) It was daylight, the skies were clear, and (slide 2) the two-lane, east-west, asphalt road surface was dry and free of defects. Case vehicle (A) was traveling west at a driver estimated-speed of 93 kph (58 mph) in the westbound lane. Vehicle (B) was stopped at a "stop" sign facing south in the southbound lane of a two-lane, north-south, asphalt road. As case vehicle (A) approached the intersection of the two roads, the driver reportedly saw vehicle (B) and slowed down to be sure that vehicle (B) did not pull out in front of her. (Slide 3) When the driver of case vehicle (A) thought that it was safe she began to increase her speed, but the driver of vehicle (B) attempted to make a left turn and pulled into the path of case vehicle (A). The driver of case vehicle (A) reportedly placed both feet on the brake pedal, but did not attempt to steer the vehicle left or right. Case vehicle (A) struck vehicle (B) in the left-side. (Slide 4) Case vehicle (A) then rotated counter clockwise and came to rest facing south in the right eastbound lane of the eastwest road. Vehicle (B) continued on, rotated counterclockwise, and came to rest on the right shoulder of the north-south road facing north. The drivers of case vehicle (A) and vehicle (B) were transported to a local area hospital emergency room. The driver of case vehicle (A) was treated and released the same day. The driver of vehicle (B) was pronounced dead on arrival.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

(Slide 5) Damage to case vehicle (A) was moderate. (Slide 6) Direct damage to case vehicle (A) began at the left-front bumper corner and extended 160 cm to the left across the entire front. The maximum crush was 21 cm in two places - the left-center bumper and left-front bumper corner.

Using the WinSMASH accident-reconstruction program and a (slides 7, 8, 9 and 10) crush profile measured for case vehicle (A), the impact severity shown in the following table were calculated:

		Calculated Velocity Change - kph (mph)			
Vehicle	Variable	Total	Longitudinal	Latitudinal	
Case Vehicle (A)	EBS	24 (15)	-24 (-15)	-4 (-3)	

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

In the front, (slide 11) the left headlight assembly, the bumper, the grille, and the hood were damaged. (Slide 12) The left portions of the upper and lower radiator supports were crushed rearward. The hood latch was damaged (but did not jam or release), the hood was buckled, and the rear edge of the hood was slightly elevated, (slide 13) but it did not contact the undamaged windshield.

On the left side, (slide 14) the fender was damaged, the front tire was flat, and (slides 15, 16 and 17) the wheelbase was reduced 5 cm.

(Slides 18 and 19) There was no right-side damage and no significant change in the wheelbase. (Slide 20) There was no damage to the rear of the vehicle.

Interior

This vehicle was equipped with steering-wheel and passenger frontal-impact airbags, and (slides 21, 22, 23 and 24) both deployed. (Slides 25, 26, 27 and 28) There was no damage to the steering-wheel airbag or (slides 29 and 30) passenger airbag module covers. (Slides 31 and 32) There was no damage to the steering-wheel rim or (slide 33) spokes. There was no apparent rotation of the steering column. (Slides 34, 35, 36, 37, 38, 39 and 40) There were no intrusions and no interior damage.

OCCUPANT KINEMATICS AND INJURIES

(Slide 41) The 5-ft, 9-in, 188-lb, 36-year-old female driver was <u>not</u> wearing the three-point belt and the frontal-impact airbag deployed. (Slide 42) There were no witness marks on the plastic D-ring. The driver reportedly had positioned the seat in the rearmost seat-track position, had the seatback slightly reclined (2 notches), and the adjustable tilt steering-wheel in the mid position. She reportedly had her hands at the 10 and 2 o'clock positions on the steering-wheel rim and both feet on the brake pedal at the time of impact.

The driver sustained a contusion to her right knee and right knee joint due to contact with the knee bolster below the steering column, (slides 43 and 44), as evidenced by a scuff mark and cloth imprint on the plastic knee bolster cover.

The following table and attached drawing (slide 45) summarize the injuries for the driver, who was the lone occupant of case vehicle (A).

Occupant: Driver Restraints: 3-point belt <u>not</u> worn; airbag deployed

Age: 36 years Stature: 175 cm (5 ft, 9 in)

Gender: Female Mass: 85 kg (188 lb)

		Injury Source		
Injury Description	A.I.S.	Definite	Probable	Possible
Contusion, right knee	1	Knee bolster		
Contusion, right knee joint	1	Knee bolster		
Maximum A.I.S. Level	1			
Injury Severity Score	2			

Duplicate columns 1-8 Module <u>G I</u> Format <u>(</u> from the previous card. 9 10 1	1 12	GENERAL INFORMATION	GI-1
TIME DATE OF COLLISION		ENVIRONMENTAL CONDITIONS CONSTRUCTION ZONE (0) NO	
m m d d y y HOUR OF COLLISION	_	(0) NO (1) YES (9) UNKNOWN ROAD ALIGNMENT VERTICAL PLANE	33
LOCATION STATE: STATE FIPS CODE	25 26	(1) LEVEL (2) CREST OF HILL (3) SLOPE (2%) (4) BOTTOM OF HILL (9) UNKNOWN ROAD ALIGNMENT HORIZONTAL PLANE	34
AREA (1) URBAN (2) RURAL (9) UNKNOWN	2	(1) STRAIGHT (2) CURVE (3) T - SHAPED (4) Y - SHAPED (7) OTHER: (9) UNKNOWN	35
ENVIRONMENTAL CONDITIONS LIMITED-ACCESS HIGHWAY (0) NO (1) YES (9) UNKNOWN ROAD, TOTAL TRAFFIC LANES	<u>O</u> 28	SURFACE COVERING (10) DRY (21) WATER - DAMP (22) WATER - WET (23) WATER - PUDDLED (29) WATER - AMOUNT UNKNOWN	J 0 36 37
(FOR CASE VEHICLE) (1) 1-LANE (2) 2-LANES (3) 3-LANES (4) 4 OR MORE LANES (5) DIVIDED, 4 OR MORE LANES (6) PARKING LOT/DRIVEWAY (7) OTHER: (9) UNKNOWN	2/29	(31) SNOW - LOOSE (32) SNOW - PACKED (39) SNOW - CONDITION UNKNOWN (41) ICE (51) SLUSH (61) SPILLED GRAVEL (71) OTHER: (99) UNKNOWN	
INTERSECTING RD, TOTAL LANES CHOOSE FROM ABOVE LIST, OR (8) NOT APPLICABLE TYPE OF ROAD SURFACE (1) ASPHALT (2) CONCRETE (3) GRAVEL (4) MORE THAN ONE (CIRCLE EACH) (7) OTHER: (9) UNKNOWN	2 30 1 31	VISIBILITY LIMITATION (FOR CASE VEHICLE) (0) NONE (1) CLOUDY/DARK (2) FOG (3) SMOKE (4) WINDSHIELD CONDITION (5) GLARE (6) RAIN (7) OTHER: (8) ICE/SNOW (9) UNKNOWN VISIBILITY OBSTRUCTION (FOR CASE VEHICLE)	<u>O</u> 38
ROAD DEFECTS (0) NO (1) YES (9) UNKNOWN	<u>Q</u>	(0) NONE (1) BUILDING (2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS) (4) TREE (5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT (7) OTHER: (8) PARKED VEHICLE (9) UNKNOWN	39

		GENERAL INFORMATION GI-2
ENVIRONMENTAL CONDITIONS SPEED LIMIT (0) 5-45 km/h 5-25 mph (1) 46-55 30 (2) 56-60 35 (3) 61-70 40 (4) 71-79 45 (5) 80-85 50 (6) 86-90 55 (7) 91-105 60 (8) OVER 105 65 (9) UNKNOWN	40	MECHANICAL MALFUNCTION WAS THERE MENTION OF A MECHANICAL MALFUNCTION IN CASE VEHICLE (0) NO (1) YES (2) YES, DID NOT CONTRIBUTE TO ACCIDENT (9) UNKNOWN
(0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN TEMPERATURE (0) BELOW -15° C BELOW 5° F (1) -15 TO -6	0 41 8 42	THE FOLLOWING SECTION SHOULD BE FILLED OUT IF A MECHANICAL MALFUNCTION IS RECOGNIZED OR SUSPECTED. CIRCLE ITEMS INVOLVED. SUPPORT ANY ITEMS CIRCLED WITH COMMENTS. BRAKE SYSTEM DRIVER CONTROLS EXHAUST SYSTEM POWER TRAIN STEERING SYSTEM FUEL SYSTEM SUSPENSION SYSTEM VISIBILITY ITEMS ELECTRICAL SYSTEM TIRES THROTTLE CONTROLS UNKNOWN OTHER:
CROSSWIND (0) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (9) UNKNOWN LIGHT CONDITIONS (1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, LIGHTED (5) DARK, UNLIGHTED (6) DARK, UNKNOWN IF LIGHTED (9) UNKNOWN	1 44	


		O	
		GENERAL INFORMATION	GI-3
CRASH DETAILS		HIGHEST POLICE INJURY SEVERITY CODE IN CRASH	
CASE VEHICLE AND OBJECT		(NOT JUST CASE VEHICLE)	
(0) NO (1) YES (9) UNKNOWN	47	(0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL	
CASE VEHICLE ROLLOVER		(5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT	
(0) NO ROLLOVER (1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT (3) YES, SEQUENCE UNKNOWN (9) UNKNOWN	48	(7) NON-FATAL INJURY SEVERITY UNKNOWN (9) UNKNOWN	<u>4</u>
(6) 66		DRIVER IMPAIRMENT	
CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT)		DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE)	
(0) NO (1) YES (9) UNKNOWN	49	(0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER	56
MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE		DRIVER ALCOHOL BAC (CASE VEHICLE)	
(0) NO (1) YES (9) UNKNOWN	50	(80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	<u>O</u> O
CASE VEHICLE AND CONTACTED STOPPED VEHICLE		WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE?	
(0) NO (1) YES (9) UNKNOWN	51	(0) NO (1) YES (9) UNKNOWN	59
STOPPED CASE VEHICLE AND CONTACTED VEHICLE		LIST IMPAIRMENTS MENTION	ED:
(0) NO (1) YES	0		
(9) UNKNOWN			
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH			
(8) 8 OR MORE	/	Post - Crash Detail	
(9) UNKNOWN	53	MANNER CASE VEHICLE LEFT SCENE	
ANY FIRE IN THIS CRASH (NOT JUST CASE VEHICLE) (0) NO (1) YES (9) UNKNOWN	<u>O</u> 54	(1) DRIVEN(2) TOWED DUE TO DAMAGE(3) TOWED, NOT DUE TO DAMAGE(4) TOWED, REASON UNKNOWN(9) UNKNOWN	2 60

ACCIDENT DESCRIPTION: Case whicle (A) was traveling west and
whicle (B) was stopped tacing south, vehicle (D) attempted

to make a left tunn and pulled out in front of
case vehicle (A). Case vehicle (A) was unable to stop on quoid staiking vehicle

(B) and the front of case vehicle (A) stauck webicle (B) in the left sides

NORTH



Duplicate columns 1-8 Module O V Format 0 4	OTHER VEHICLE O	\/ 1
Duplicate columns 1-8 Module O V Format 0 4 from the previous card.	OTHER VEHICLE O	V-1
MAKE: <u>Satur</u>	CARGO:	
MODEL: SL 2, 4-door sedan		
VIN 1 G 8 Z K 5 Z 7 8	4 2	
MANUFAC/BODY CODE	VEHICLE TYPE	
MAKE/MODEL CODE 3 7 0 1 38	PASSENGER VEHICLE (02) LARGE (03) LIMOUSINE (17) PICKUP CAR (20) UNKNOWN PASSENGER VEHICLE BODY	2 7 56 57
MODEL YEAR 2 0 0 0 42	(24) SUB-MINI (25) MINI (26) SUB-COMPACT	
VEHICLE MASS (kg) 0 1 0 5 8	(27) COMPACT (28) INTERMEDIATE (29) FULL	
IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER	MULTIPURPOSE PASSENGER VEHICLE (14) SMALL UTILITY (WHEELBASE LESS THAN 107°, E.G. JEEP, BRONCO) (15) LARGE UTILITY (WHEELBASE MORE THAN 107°,	
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) D 1 51	E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER (21) MOTOR HOME (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (23) PICKUP CAR WITH SLIDE-IN CAMPER (31) CHASSIS-MOUNTED CAMPER	
TRAVELING SPEED (km/h) 995		
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRUCK (11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (30) UNKNOWN TRUCK TYPE	
	(31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN)	
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE	(34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK	
(0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY	(38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S)	
(3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN	BUS (40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES) (43) TRANSIT BUS (INTRACTY) (44) STREETCAR (ON TRACKS)	
(8) UNOCCUPIED VEHICLE (NOT APPLICABLE) (9) UNKNOWN	(68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER)	
,,	(99) UNKNOWN	
	WHEELBASE (cm) (999) UNKNOWN	260 58 59 60

Duplicate columns 1-8 from the previous card. Module O V Format 0 2 11 12

OTHER VEHICLE

OV-2

ORIGINAL SPECIFICATIONS

Wheelbase

Front Overhang

 \mathcal{O}_{22} \mathcal{G}_{24} cm

Curb Weight

1058 kg

Rear Overhang

 $\frac{0}{25} \frac{9}{9} \frac{4}{27}$ cm

Average Track Width 13 4 3 cm

Undeformed End Width (UEW) $\frac{1}{28}$ $\frac{2}{30}$ cm


Overall Length $\frac{\cancel{4}}{\cancel{5}} \underbrace{\cancel{5}}_{18} \underbrace{\cancel{5}}_{18}$ cm Overall Width (OAW) $\underbrace{\cancel{1}}_{19} \underbrace{\cancel{6}}_{21} \underbrace{\cancel{9}}_{21}$ cm


Engine Displacement


 $\frac{1}{31} \cdot \frac{9}{32}$ L


Engine: # of Cylinders


VEHICLE DAMAGE











FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

 $\frac{9}{35} \frac{9}{9} \frac{9}{37} \text{ cm}$

Front-End Overlap (Percent) = DDL UEW

99%

Vehicle Overlap (Percent) = <u>DDL + 1/2 (OAW - UEW)</u>

99%

Duplicate columns 1-8 Module V D Format from the previous card.	0 4		VEHICLE DESCRIPTION	VD-1
MAKE: Dodge			CARGO:	
MODEL: DURANGO SCTHX 4,	500	4-doon		
1 R 4 1/ C 2	~			
VIN 1 B 4 H 5 2	<u>8</u> -	<u>Y 3</u>	WP	29
MANUFAC/BODY CODE $\int_{\infty} 2 $	1 5	STOLE	N VEHICLE	
MAKE/MODEL CODE 3 2 2	<u>50</u>			<u>8</u>
MODEL YEAR $\frac{1}{39}$ $\frac{9}{9}$	<u>8</u>			
VEHICLE MASS (kg) 0 0 2 0 6	5 6	BODY	STRUCTURE	
ODOMETER (km) (ENTER 9'S IF UNKNOWN) (ENTER 8'S IF ELECTRONIC) 49	y y 54	(2) U (3) If	ODY & FRAME NITIZED ITEGRAL-STUB FRAME ODY & PLATFORM FRAME	63
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN)	56	(5) P (7) O	E.G. VW BUG) ARTIALLY UNITIZED THER: NKNOWN	
TRAVELING SPEED (km/h) 0 9	3	(3, 3		
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN)	59	(0) N		1
(998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN		(2) M	UTOMATIC ANUAL NKNOWN	64
VEHICLE TYPE				
PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR)	22	LOCATI SELECT	ON OF TRANSMISSION FOR LEVER	
(12) 2-DOOR SEDAN OR COUPE (ANY UPPER B-PILLAR)	60 61	(1) FI (2) C	LOOR ONSOLE	3
(13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN (15) STATION WAGON		(7) 0	OLUMN THER:	
(16) CONVERTIBLE (18) OTHER PASS. VEH. :		(9) (1	NKNOWN	
MULTIPURPOSE PASSENGER VEHICLE (21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO)		STEERI	NG	
(22) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (23) VAN, SIZE UNKNOWN			DWER ANUAL	1 1
(24) VAN, SMALL (MINI) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME			NKNOWN	
TRUCK (31) PICKUP TRUCK, UNKNOWN		BRAKES	8	,
(32) PICKUP TRUCK, SMALL (DOWNSIZED) (33) PICKUP TRUCK, LARGE			ANUAL	67
(99) UNKNOWN		(9) UN	IKNOWN	

		VEHICLE DESCRIPTION VD-2
TYPE OF BRAKES (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	<u>2</u>	WHEELBASE <i>(cm)</i> (999) Unknown 2 9 4 76 77 78
BRAKE ANTI-LOCK DEVICE (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN AIR CONDITIONING IN VEHICLE (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN		PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE (7) OTHER (9) UNKNOWN
TYPE OF DRIVE (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN DUAL REAR WHEELS (0) NO (1) YES (9) UNKNOWN ORIGINAL TYPE OF RESTRAINT SYSTEM (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	71 0 72 3 73	FIELD INVESTIGATOR INSTRUCTIONS: 1. INDICATE CRUSHED AREAS BY <u>OUT-LINING NEW PERIMETER</u> OF VEHICLE AND <u>SHADING THE DAMAGED AREAS</u> ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. 2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE. 3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR. 4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. EXAMPLES:
EQUIPPED WITH ROLL BAR (0) NO (1) YES (9) UNKNOWN TYPE OF ROOF (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	74	FRONT OR REAR ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL)

Duplicate columns 1-8 from the previous card. Module V D Format 0 2

VEHICLE DESCRIPTION

VD-3

ORIGINAL SPECIFICATIONS

1998 GASOLING TRUCK INDEX

Wheelbase

Front Overhang

$$\frac{0}{2} \frac{8}{9} \frac{9}{24} \text{ cm}$$

Curb Weight

Rear Overhang

Undeformed End Width (UEW) 1/28 6 0 cm

$$\frac{1}{28} \cdot \frac{6}{20} \cdot \text{cm}$$

Overall Length

$$\frac{4}{16}$$
 $\frac{9}{18}$ cm


Engine Displacement

$$\frac{5}{31} \cdot \frac{2}{32}$$
 L

Overall Width (OAW)
$$\frac{1}{19}$$
 $\frac{1}{8}$ $\frac{2}{21}$ cm

Engine: # of Cylinders

VEHICLE DAMAGE





FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

$$\frac{1}{35} \frac{6}{6} \frac{0}{37} \text{ cm}$$

Front-End Overlap (Percent) = DDL UEW

Vehicle Overlap (Percent) = <u>DDL + 1/2 (OAW - UEW)</u> OAW

Duplicate columns 1-8 from the previous card. Module D A Format 0 2 11 12 DAMAGE DA-1					
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC			
EVENT NUMBER	13				
IMPACT SPEED (km/h)	$\frac{9}{14} \frac{9}{15} \frac{9}{16}$	$\frac{9}{35} \frac{9}{36} \frac{9}{37}$			
ESTIMATED BY	17				
CRUSH (cm)	$\frac{O}{18} \frac{1}{20}$	9 9 4			
CDC #1	12. FD EW. 1	99.0000.0			
CDC #2	$\frac{9}{28} \frac{8}{2} \cdot \frac{0}{0} \cdot \frac{0}{0} \cdot \frac{0}{0} \cdot \frac{0}{34}$	42 99.0000.0 49			
Duplicate columns 1-8 Module D A from the previous card. 9 10	_Format _0 _3				
SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC			
EVENT NUMBER	13				
IMPACT SPEED (km/h)	14 15 16	35 36 37			
ESTIMATED BY	17	38			
CRUSH (cm)	18 19 20	39 40 41			
CDC #1	21	42 - 48			
CDC #2	28 34	49 55			
Codes					
EVENT NUMBER	IMPACT SPEED ESTIMATOR	CRUSH			
(8) NOT APPLICABLE (9) UNKNOWN	(1) INVESTIGATOR (2) DRIVER (3) POLICE	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN			
IMPACT SPEED (998) NOT APPLICABL	(4) "CRASH" PROGRAM (5) OTHER COMPUTER PROGRAM E SPECIFY:	CDC			
(999) UNKNOWN	(7) OTHER: (8) NOT APPLICABLE (NO VEHICLE/NO IMPACT)	(9800000) NOT APPLICABLE (9900000) UNKNOWN			

Duplicate columns 1-8 M from the previous card.	Module <u>D</u> <u>A</u> Format <u>0</u> <u>1</u> 9 10 11 12		DAMAGE DA-2	
	MAXIMUM SHE	ET METAL CRUSH		
		99) UNKNOWN		
	(cm) (se	55) OIANIAOVVIN		
FRONT	<u>O</u> <u>Z</u> <u>/</u> 15	RIGHT SIDE	<u>O</u> <u>O</u> <u>O</u>	
REAR	<u>O</u> <u>O</u> <u>O</u> 21	LEFT SIDE	<u>O</u> <u>O</u> <u>O</u> <u>24</u>	
ROOF	$\mathcal{O}_{25} \mathcal{O}_{27}$	OTHER	<u>O</u> <u>O</u> <u>O</u> 30	
		CAL SEQUENCE		
	OF DAMAGE/INJURY PRO	ODUCING CRASH EVENTS	}	
	FOR CASI	E VEHICLE		
NOTE: IF CHRONOLOGICAL ORDER IS UNKNOWN, EVENT ORDER IS OPTIONAL. DO YOU KNOW THIS TABLE TO BE IN CHRONOLOGICAL ORDER? 131				
		(0) NO (1) YES	•	
		(1) 120		
EVENT NUMBER	IMPACT LOCATION	IMPACT CONFIGURATION	OBJECT/VEHICLE CONTACTED	
	(1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE (3) ON ROADSIDE (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER	FOR CODES, SEE TABLE ON PAGE DA-3.	FOR CODES, SEE TABLE ON PAGE DA-4.	
	(6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN			
# 1	<u></u>	<u>/ 3</u>	<u>27</u>	
#2	37	39	41	
#3	42			
#4	47	49	<u>— — </u> 51	
#5	52	 	<u></u>	
#6 .	57	59	61	
#7	62	64	 	

CODES FOR IMPACT CONFIGURATION

FRONT OF CASE VEHICLE

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND UNKNOWN OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

- (21) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (22) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T) (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

OTHER

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

UNKNOWN

(99) IMPACT TYPE UNKNOWN

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS

- NO OBJECT
- (01) (39) PASSENGER VEHICLE & TRUCK
- (40) (69) OTHER VEHICLE
- (70) (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) (97) OFF-ROADWAY OBJECT
- OTHER (DESCRIBE)
- UNKNOWN (99)

PASSENGER VEHICLE

- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

SIZE

WHEELBASE

SUB-MINI	< 2286 mm (< 90")
MINI	2286 - 2412 mm (90° - 94.9°)
SUB-COMPACT	2413 - 2539 mm (95" - 99,9")
COMPACT	2540 - 2666 mm (100" - 104,9")
INTERMEDIATE	2667 - 2793 mm (105" - 109.9")
FULL	2794 - 2920 mm (110" - 114.9")
LARGE	2921 - 3174 mm (115" - 124.9")
LIMOUSINE	> 3175 mm (> 125")

MULTIPURPOSE PASSENGER VEHICLE

- (11) SMALL VAN (MINI)
- (12) PICKUP
- (14) SMALL UTILITY (WHEELBASE LESS THAN 107°. E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107", E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN) (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

BUS

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

MOTORCYCLE

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 75 cc
- (52) 76 125 cc
- (53) 126 250 cc
- (54) 251 500 cc
- (55) 501 750 cc
- (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

SPECIAL PURPOSE VEHICLE

- (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
- (61) SNOWMOBILE
- (62) ATV (ALL TERRAIN VEHICLE)
- (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER)
- (67) TRAILER, COMMERCIAL (CARGO)
- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

OBJECT

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CART)
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS)
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY)
- (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT
- (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL
- (90) GUARD RAIL, LEADING SECTION (91) GUARD RAIL, MIDDLE OR UNKNOWN
- (92) GUARD RAIL, TRAILING SECTION
- (93) GUARD POST (TIMBER, METAL, CONCRETE) (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN)
- (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

Duplicate columns 1-8 Module C F from the previous card. 9 1	R Format 0 1		SH RECONSTRUCT Or AV	TION CR-1
	CASE VEHICLE F	PRIMARY IMPACT	CASE VEHICLE SEC	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13		47	
ΔV (km/h) TOTAL	$\frac{9}{\frac{1}{14}} = \frac{1}{15}$	$\frac{9}{32} \frac{-}{33}$	48 49 50	66 67 68
LONGITUDINAL*	9	<u>9</u>	51 54	69 — 72
LATERAL*	9	9		
NOTE: THESE AV COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73 76
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = <u>:</u> <u>0</u> <u>0</u> <u>7</u>				
ENERGY DISSIPATED BY CRUSH (kj)	<u>q</u>	9 — 4	59 62	77 80
RECONSTRUCTION				
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	12			
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64	
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				
MODE				
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	31		65	
COMPUTER PROGRAM SPECIFY:				

	R Format 0 2 11 12		H RECONSTRUCTERS	TION CR-2
	CASE VEHICLE P	RIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	/ 13	, 2, , , , ,	47	VEHICLE
EBS (km/h) TOTAL	0 2 4	$\frac{Q}{32} = {33}$	48 49 50	66 67 68
LONGITUDINAL*	$\frac{-024}{7}$	$\frac{9}{35}$	51 54	69 72
LATERAL*	-004	9-	· · · · · · · · · · · · · · · · · · ·	
*NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73 76
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = <u>-</u> <u>0</u> <u>0</u> <u>7</u>				
ENERGY DISSIPATED BY CRUSH (ki)	<u>D</u> <u>D</u> <u>5</u> <u>3</u>	$\frac{9}{43} = {45}$	59 62	77 - 80
RECONSTRUCTION				
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	<u>2</u> <u>2</u>			
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64	
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				
MODE				
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED COMPUTER PROGRAM	2 31		65	
SPECIFY:				

Duplicate columns 1-8 from the previous card.

Module <u>C</u> <u>R</u> Format <u>0</u> <u>3</u>

CRASH RECONSTRUCTION

CR-3

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C $_1$ TO C $_6$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.


CASE VEHICLE

LOCATOR

- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L
	Entine thout	Ft. bungar BC to BC



UEW= 160

DL <u>160</u>

3:2

UDL

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other _
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

NOTE: Each line in the table below is a separate record (card). Duplicat

C= ==:f:=	NOTE: Each	line in the tab	ole below is a	separate rec	ord (card).		plicate col	umns 1 - 1	2 for each	complete	d line.
Specific Impact Number	Plane of Impact C-Measur.	Length (DDL)	Damage Max Crush	Field	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
1	. 1	1.60	22	156	34	17	22	18	14	16	.0
			-1		-13	-7	-1	-/	- 3	-/3	
1	1	160	021	156	021	014	021	017	011	003	-000
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29		33 34 35	36 37 38	39 40 41	42 43 44 4
2											

Duplicate from the	columns 1-8 previous card.	Module <u>C</u>	R Forma	at <u>0 4</u>		Cr	RASH R	ECONS	TRUCT	ION	CR-4
NOTES.	2. MEASU IMPAC 3. D IS PO	R CRASH RECO URE C ₁ TO C ₆ I TS, REAR TO FI OSITIVE IF MEA HE CENTER OF amage with re	FROM DRIVER RONT IN SIDE I SURED TO A F THE WHEELB	TO PASSENGI IMPACTS. POINT FORWA ASE AS THE C	ER SIDE IN RD OF OR T	FRONT OR	REAR BHT OF THE		LC	ER VEH	
Specific	Impact No.		ocation of	Direct Dan	nage			Locati	on of Fie	eld L	· · ·
		·									
		<u> </u>						7			
PLAI	(1) Bumper (2) Above Bum (3) Sill (4) Above Sill (5) Other (9) Unknown	per	CRUSH-le below is a	C6 C5 C4 C3 C2 C1	IN CEN			DL UDL	2 for each	complete	d line.
Specific	Plane	Direct	Damage								
Impact Number	of Impact C-Measur.	Length (DDL)	Max Crush	Field L	C ₁	C ₂	Сз	C ₄	C ₅	C ₆	±D

		line in the tab	le below is a	separate rec	ord (card).	Du		umns 1 - 1	2 for each	complete	d line.
Specific Impact Number	Plane of Impact C-Measur.	Direct Length (DDL)	Damage Max Crush	Field L	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
·											
1	9	999	999	999	999	999	999	999	999	999	+999
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 4
2											

Duplicate columns 1-8 Module W T Format 0 from the previous card. 9 10 11	WHEELS AND TIRES WT-1
WHEELSDAMAGED (0) NO (1) YES (9) UNKNOWN RR LR	SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S) LF 3 1 1 0 5 0 R 1 5 RF 3 RR 4 RR
TIRE TREAD TYPE (1) REGULAR (2) SNOW (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: RR (9) UNKNOWN LR	LR y
CARCASS CONSTRUCTION LF (1) BIAS (2) BELTED BIAS RF (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN LR	3 3 3 4
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS. NOTES:	

Duplicate columns 1-8 Module F T Format (from the previous card. 9 10 1	<u>) 1</u> 1 12	FUEL AND FUEL TANKS	FT-1
TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	21
MAIN TANK LOCATION	322 14 16	AUXILIARY TANK LOCATION	8 8 8 22 24
MAIN FILLER CAP LOCATION	1 1 3	AUXILIARY FILLER CAP LOCATION	888 25 27
MAIN TANK MATERIAL	3 20	AUXILIARY TANK MATERIAL	<u>8</u> 28

TANK AND FILLER CAP LOCATION CODES

FIRST DIGIT (LONGITUDINAL)

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL
- (8) NOT APPLICABLE (NOT EQUIPPED)
 (9) UNKNOWN

SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) RIGHT OF FRAME
- (4) DUAL, RIGHT & LEFT TANKS
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME
- (2) WITHIN FRAME OR CENTERED
 (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

TANK MATERIAL CODES

- (1) STEEL
- (2) ALUMINUM
- (3) PLASTIC (7) OTHER
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

Duplicate columns	1-8
from the previous of	ard.

Module <u>F</u> <u>L</u> Format <u>0</u> <u>1</u> 12

FUEL LEAKAGE

FL-1

DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE SKIP PAGE.

(1) YES COMPLETE PAGE.

<u>0</u>

	l	11	III	IV	V	
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
#1	14 15					21
#2	22 23		 ,			29
#3	30 31					37
#4	38 39					45
#5	46 47					

LEAKING COMPONENT

TANK AREA

- (11) MAIN FUEL TANK (INCLUDING VAPOR RECOVERY DOME)
- (12) AUXILIARY FUEL TANK
- (13) MAIN TANK FILLER TUBE
- (14) MAIN TANK CAP (GAS CAP)
- (15) AUXILIARY TANK FILLER TUBE
- (16) AUXILIARY TANK CAP (GAS CAP) (19) TANK AREA, DETAILS UNKNOWN

DELIVERY SYSTEM

- (21) FUEL FEED LINE (MAIN TANK TO FUEL PUMP)
- (22) FUEL FEED LINE (AUXILIARY TANK TO FUEL PUMP)
- (23) FUEL RETURN LINE (FUEL PUMP TO TANK)
- (24) INLINE FUEL FILTER
- (25) FUEL LINE (PUMP TO CARBURETOR OR INJECTOR PUMP)
- (26) CARBURETOR TO INJECTOR PUMP
- (27) FUEL PUMP
- (29) DELIVERY SYSTEM, DETAILS UNKNOWN

EVAPORATIVE EMISSION CONTROL SYSTEM

- (31) ATMOSPHERIC VENT PIPE (NON-EEC EQUIPPED)
- (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

EEC SYSTEM (CONTINUED)

- (33) VAPOR RECOVERY HOSES (CANISTER TO CARBURETOR)
- (34) LIQUID-VAPOR SEPARATOR (UNLESS PART OF TANK)
- (35) CANISTER
- (39) EEC SYSTEM, DETAILS UNKNOWN
- (49) ENGINE COMPARTMENT, COMPONENT UNKNOWN
- (99) COMPONENT UNKNOWN

II COMPONENT SOURCE

- (1) OEM
- (2) AFTER MARKET
- (9) UNKNOWN

III TYPE OF DAMAGE

- (1) DENTED/CRUSHED
- (2) PUNCTURED
- (3) RUPTURED
- (4) SEVERED/GROSS TEARS
- (5) DISCONNECTED/DEFEATED
- (9) UNKNOWN

IV SEVERITY OF DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (4) DISCONNECTED/DEFEATED
- (9) UNKNOWN

V LOCATION OF LEAK

FIRST DIGIT (LONGITUDINAL LOCATION)

- (1) F, FORWARD OF COWL
- (2) P, BETWEEN COWL & REAR BULKHEAD
- (3) B, BEHIND REAR BULKHEAD
- (4) Y, F, & P
- (5) Z, P, & B
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

SECOND DIGIT (LATERAL LOCATION)

- (1) L, LEFT
- (2) C, CENTER
- (3) R, RIGHT
- (4) Y, LEFT CENTER (L & C)
- (5) Z, RIGHT CENTER (R & C)
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

Duplicate columns 1-8 Module F R Format C 9 10 11	1 12	FIRE	FR-1
WAS THERE FIRE IN (0) NO <u>SKIP</u> PAC (1) YES <u>COMPLE</u>	GE.	CASE VEHICLE? <u> </u>	
DID FIRE START IN CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16
FLAME PROPOGATION RATE (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	17

PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 from the previous card.	Module _I	E D Format	0 1	EXTERIOR DAMAGE	ED-1
HOOD PERFORM	IANCE			STEERING COL FLEXIBLE COUPLING	
FOR THE FOLLOW	ING, USE CO	DES:		FLEXIBLE COUPLING TYPE	
(0) NO (1) YES (8) NOT APPLIC (9) UNKNOWN	CABLE			(0) NONE (1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OTHER:	<u>36</u>
HOOD LATCH <i>(ES)</i> -		-RELEASED	13	(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN, IF EQUIPPED	
		-DAMAGED	14	COUPLINGDAMAGED	<u>9</u>
		-JAMMED	15	(USE CODES FROM <u>HOOD</u> PERFORMANCE) -SEPARATED (COMPLETE)	9 28
HOOD HINGES-	-LEFT,	DAMAGED	<u>O</u>		
	-LEFT,	SEPARATED (COMPLETE)			
	-RIGHT,	DAMAGED	<u>₽</u>	ENG COMPART TELESCOPING UNIT	
	-RIGHT,	SEPARATED (COMPLETE)		TYPE OF UNIT (00) NONE INSTALLED (01) - (07) SEE UNITS ON PAGE ED-2	8 8
HOOD REMAINED OF	N VEHICLE			(88) NOT COLLECTED (97) OTHER: (98) EQUIPPED, TYPE UNKNOWN (99) UNKNOWN IF EQUIPPED	29 30
REAR EDGE OF HOO	D-	-ELEVATED	<u>/</u> 21	ORIGINAL LENGTH (mm)	
-c	ONTACTED	WINDSHIELD	<u>O</u> 27 23	F (OR H):	
-PI	ENETRATED	WINDSHIELD	$\frac{\mathcal{G}}{23}$	TELESCOPED LENGTH (mm)	
HOOD LATCH LOCAT	'ION				
(1) FRONT OF VE (2) COWL AREA (3) SIDE (8) NOT APPLICA (9) UNKNOWN			24	DIFFERENCE (mm) F (OR H) - G (IF LESS THAN 15mm, ENTER *000*.) (888) NOT COLLECTED	
ENGINE OR TRANS SEPARATION (COMP (0) NO (1) YES (9) UNKNOWN		Моинт	$\frac{\mathcal{O}}{25}$	(991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 33

		EXTERIOR DAMAGE E	D-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 34	LEFT DOORS HOW DID DOORS OPEN DURING COLLISION?	
LEFT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		USE CODES: (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN	
-A-PILLAR, UPPER	$\frac{\mathcal{O}}{35}$	(8) NOT APPLICABLE <i>(NO DOOR)</i> (9) UNKNOWN	
LOWER	<u>O</u> 36	-FRONT -REAR	<u>0</u> 43
-B-PILLAR, UPPER	$\frac{O}{37}$	DOORS JAMMED CLOSED-	
LOWER	<u>O</u> ₃8	USE CODES: (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR)	
-C-PILLAR, UPPER	$\frac{\mathcal{O}}{39}$	(9) UNKNOWN -FRONT	0
LOWER	<u>O</u>	-REAR	0 45 46
-D-PILLAR, UPPER	<u>O</u>		46
LOWER	7		

		EXTERIOR DAMAGE	ED-3
		OTHER REAR DAMAGE	
REAR DOOR REAR DOOR TYPE (0) NO DOOR (INCLUDES PICKUPS) (1) HATCHBACK (2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE (4) CLAMSHELL/DISAPPEARING TAILGATE (5) SINGLE DOOR (6) DOUBLE DOOR	2/47	WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN SPARE TIRE	50
(9) UNKNOWN Hatchback One-way		(0) NO SPARE TIRE (1) NOT ATTACHED BEFORE COLLISION (2) ATTACHED, NOT SEPARATED IN COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION (8) NOT COLLECTED (9) UNKNOWN	51
Two-way Clamshell		TRAILER HITCH TYPE (0) NO HITCH BALL-AND-SOCKET TYPES (1) TEMPORARY FRAMEWORK (E.G.	3 52
Single door Double door		RENTAL CLAMP-ON) (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK) (3) BUMPER-AND-FRAME (BUT NON-EQUALIZING) (4) LOAD EQUALIZING OTHER TYPES	
HOW DID DOOR OPEN DURING COLLISION?		(5) RING-AND-PINTLE (6) FIFTH-WHEEL (INCL P/U) (7) OTHER (E.G. CLEVIS-AND-PIN)	
(0) DOOR DID NOT OPEN OPENED BECAUSE OF	0	(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN IF EQUIPPED	
(1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN		TRAILER TYPE (AT TIME OF COLLISION) (0) NO TRAILER (1) TRAVEL-TRAILER/CAMPER (2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER (4) UTILITY TRAILER (5) TOWED CAR (7) OTHER: (8) TRAILER, TYPE UNKNOWN (9) UNKNOWN	53
DOOR JAMMED CLOSED (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	<u>0</u>		

		EXTERIOR DAMAGE E	ED-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	Q 54	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN OPENED BECAUSE OF (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	<u>O</u> 55	(98) NOT APPLICABLE <i>(NO DOOR)</i> (99) UNKNOWN	
LOWER	<u>O</u>	-FRONT -REAR	0 8 0
-B-PILLAR, UPPER	<u>O</u>		65 66
LOWER	<u></u>	DOORS JAMMED CLOSED- USE CODES: (0) NO	
-C-PILLAR, UPPER	O 59	(1) YES (8) NOT APPLICABLE <i>(NO DOOR)</i> (9) UNKNOWN	8
LOWER	<u>Q</u> 60	-FRONT -REAR	<u> </u>
-D-PILLAR, UPPER	⊘ 61		68
LOWER	<u>@</u>	VAN REAR DOOR TYPE (0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	<u>8</u>

		EXTERIOR DAMAGE	ED-5
VINDSHIELD DAMAGE WINDSHIELD CRACKED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	0/70	WINDSHIELD MARK ON CASE VEHICLE	
WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN) (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	DOT GG T AS	
CRACKED OR BROKEN BY OCCUPANT CONTACT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN EXTENT OF BOND SEPARATION (0) NONE (1) 1 - 20% (2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTAL (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN	72	WINDSHIELD CODE (97) DESCRIBED BUT NOT CODED (98) NOT APPLICABLE (NO WINDSHIELD) (99) UNKNOWN ROOF DID T-ROOF/SUN ROOF OPEN DURING COLLISION? (0) NO (1) YES (8) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF)	9 74 7 74 7
	TEREST OF	(9) UNKNOWN R DAMAGE WITH DIMENSIONS (VERTICAL WINDSHIELD AS VIEWED FROM INSIDE.	

င


R

L

Duplicate columns 1-8 Module S C Format 0 from the previous card. 9 10 11	_ 1	STEERING WHEEL AND COLUMN S	SC-1
STEERING WHEEL		STEERING WHEEL POSITION AT TIME OF COLLISION	
STEERING WHEEL RIM DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>O</u>	IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED? EXAMPLES O'CLOCK = 1 2 O'CLOCK = 0 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	4	(NORMAL STRAIGHT AHEAD) O'CLOCK - 12	
STEERING WHL SPOKE DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	D 15	STEERING WHEEL ENERGY ABSORBING DEVICE (1) EXAMPLES: BARRACUDA, 70 - 74 CHALLENGER, 70 - 74 CAPRI, 71 - 77	
STEERING COLUMN OPTIONS		(2) EXAMPLES: OMNI, 78 - HORIZON, 78 -	
TILT FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	3	TYPE OF DEVICE (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED	8 19
SWING-AWAY FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>D</u>	ORIGINAL DIMENSION (mm) A: DAMAGE DIMENSION (mm) B: DIFFERENCE (mm)	
TELESCOPING FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>0</u>	A - B (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 22

		STEERING WHEEL AND COLUMN	SC-2
STEERING COLUMN		STEERING WHEEL (CONTINUED)	
ENERGY ABSORBING DEVICE			ļ
TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL HUB DAMAGE	
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	8 8 24	(1) OCCUPANT CONTACT (2) AIRBAG	<u>Q</u>
ORIGINAL LENGTH (mm)		(3) OTHER (9) UNKNOWN	
C:		İ	
COMPRESSED LENGTH (mm)			
D:			
BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE)			
COMPRESSION (OR EXTRUSION) (mm)			
C - D (OR E) (TOLERANCE: ±10)			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 27	·	
* (ADD A & B FOR TOTAL COMPRESSION)			
SHEAR CAPSULE SEPARATION (mm)			
S (USE AVG. OF LEFT & RIGHT CAPSULES.)			
LT:			
RT:			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8		
COLUMN VERTICAL ROTATION			
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	O 31		
COLUMN LATERAL ROTATION			
(0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN	<u>6</u>		

Location	of		Compai Valu	(All Measurements Are in rison Intruded value	·	Dominant Crush
Intrusio	on Intruded	d Component	Valu	e – Value	= Intrusion	Crush Direction
					=	
				-	=	
				_	=	
				_	=	
				-	=	
					=	
					=	
					=	
				_	=	
					=	
				_	=	
				_	=	
				_	=	
				_	=	
				_	=	
					=	
		Ø	CCUPANT C	CONTACT WORKSHE		
Contact	Interior Component Contacted	Occupant No. if Known	Body Region if Known	Supporting	Physical Evidence	Confiden Level o Contac Point
Α	Kwee bokka	Dn	Rt. Knee	Scuff, Clothe impaint		1
В	Kuce bolsten	"	Lt. Knee	scuff		1
С						<u>`</u>
D						
Е						
F						
G						
Н						
						1



CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.

(1)	LEFT	(3)	RIGHT	•••••	••••••	. INDIVIDUAL SEAT
(1)	LEFT	(2)	CENTER	(3)	RIGHT	BENCH: FULL WIDTH 3 PASSENGER
(1)	LEFT		LEFT CENTER		RIGHT (3) RIGHTCENTER	BENCH: FULL WIDTH 4 PASSENGER
(1)	LEFT	(2)	CENTER	(5)	RIGHT & AISLE SPACE	BENCH: PARTIAL WIDTH, LEFT
	LEFT & SPACE	(2)	CENTER	(5)	RIGHT & SPACE	BENCH: PARTIAL WIDTH, CENTERED
(4)	ENTIRE V	/EHI	CLE WIDTH			CARGO AREA

EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

PASSENGER CAR 5 PASSENGERS

VAN 12 PASSENGER CAPACITY

X			X	11			13	
x	X	X				21	22	25
x	X	X				31	32	<i>3</i> 5
x	X	X	X	41	42	46	43	

CODES FOR COLUMN F, MEASUREMENT AXIS

(X) X-AXIS (FORE & AFT)

(Y) Y-AXIS (LATERAL)

(Z) Z-AXIS (VERTICAL)

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT NUMBER	INJURY NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

EXTERNAL

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE, JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

(60)ROOF

ROOF RAIL

A-PILLAR

B-PILLAR

C-PILLAR

WINDOW FRAME

(61)INSTRUMENT PANEL

WINDOW FRAME

WINDOW FRAME

WINDOW FRAME

DOOR PANEL

WINDSHIELD HEADER

DOOR PANEL

FLOOR PAN

TOE PAN

A-PILLAR

ROOF

(62)ROOF

ROOF RAIL

ROOF RAIL

FLOOR PAN

SECOND SEAT

DOOR PANEL

C-PILLAR

(63)ROOF RAIL

B-PILLAR

FLOOR PAN

DOOR PANEL

FRONT SEAT

SECOND SEAT

ROOF

USE ONLY IF <u>ALL</u> THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

(50)WINDSHIELD HEADER A-PILLAR

ROOF SIDE RAIL

- (51)INSTRUMENT PANEL A-PILLAR DOOR PANEL
- (52)INSTRUMENT PANEL

A-PILLAR

WINDSHIELD HEADER

(53)DOOR PANEL B-PILLAR

ROOF RAIL

(54)DOOR PANEL

A-PILLAR ROOF RAIL

(55)INSTRUMENT PANEL

FLOOR PAN A-PILLAR DOOR FRAME

(56)ROOF RAIL

A-PILLAR

B-PILLAR

WINDOW FRAME

(57) ROOF RAIL

A-PILLAR

B-PILLAR

C-PILLAR

DOOR PANEL

(58)ROOF

ROOF RAIL

WINDOW FRAME

DOOR PANEL

(59)BACKLIGHT HEADER

C-PILLAR

THIRD SEAT-BACK

WINDOW FRAME WINDOW HEADER

(65)WINDSHIELD

(64)ROOF RAIL

A-PILLAR

B-PILLAR

WINDSHIELD HEADER ROOF SIDE RAIL

ROOF OR CONVERTIBLE TOP

(66)WINDSHIELD

WINDSHIELD HEADER

A-PILLAR

(98)NOT APPLICABLE

(99)UNKNOWN

Duplicate columns 1-8 Module from the previous card.	I T Format 0 1 12		Intrusion	IT-5
WAS THERE OCCUPANT COM (0) NO <u>DO NOT</u> ANSWER NEX (1) YES <u>ANSWER</u> NEXT QUEST (9) UNKNOWN <u>SKIP PAGE</u> .	13 T QUESTION. <u>SKIP PAGE</u> .	•	ON CATASTROPHIC? OMPLETE PAGE. SKIP PAGE.	14
Duplicate columns 1-8 Module from the previous card. NOTE: Each line in the table below in	1 T Format 0 2 9 10 11 12 is a separate record (card). Duplic	ate columns 1 - 12 for each	completed line.	
CODES F	TRUSIONS IN THIS ORDER: LEFT OR B, F, G, H, I, J ON PAGE IT-: OR C ON PAGE IT-4	3	ONT TO BACK IN VEHICLE	S.
A B C INTRUDING A INTRUSION OCC. COMPONENT	EVENT INTRUSION INTRUSION IN	G H MAXIMUM ITRUSION OCCUPANT	INJURY OCCUPANT	K
13-14 15-16 17-18	NO. X AXIS (cm) Y AXIS (cm) Z 19 20-21 22-23	24-25 26-27	28-29 30-31	32-33
0 1 — — — — — — — — — — — — — — — — — —				
0 5	N 7 INTRUSIONS.			
Duplicate columns 1-8 Module I from the previous card.	_ T Format 0 3			
NOTE: IF NO SIDE DOOR INTRUSION, SKIP REMAINDER OF PAGE. SIDE DOOR INTRUSION RESULTED FROM INTRUSION	DOOR INTRUSIO	OOR COMPONENT IN, CODE COMPONE MAGED DAMA PONENT 1 COMPON	GED	
13 15 (1) DIRECT 16 18 (2) INDUCED DAMAGE 19 21 (9) UNKNOWN	A		(2) B-PILLAR (3) C-PILLAR (4) LATCH/STR (5) HINGES (7) OTHER: (8) NOT APPLI	

Duplicate columns 1-8 from the previous card.

INTRUSION

IT-6

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

- ADDITIONAL PAGE --

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES. CODES FOR B, F, G, H, I, J ON PAGE IT-3 CODES FOR C ON PAGE IT-4 OCCUPANT CONTACT AND INJURY

A INTRUSION NUMBER	B OCC. SPACE NO.	C INTRUDING COMPONENT OR OBJECT			F MAXIMUM INTRUSION Y AXIS (cm)		H OCCUPANT NUMBER	I INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
0 8			-							
0 9										
10										
11										
1 2										
1 3										
1 4							! ————			
<u>1</u> <u>5</u>										
1 6										
1 7										
1 8										
19										
2 0										
2 1										
22										
23										
2 4										
2 5										

Duplicate columns 1-8 from the previous card.	Modu	ile <u>i</u> <u>D</u> 9 10	Format <u>0</u> <u>1</u>	lv	ITERIOR DAMAGE I	D-1
co	(1	O) NO I) YES B) NO, and	d OCCUPANT CONTACT	(4) YES, and (8) NOT APPL (9) UNKNOW		
SIDES FRONT DOOR FRONT HARDWARE FRONT ARMREST FRONT GLASS REAR DOOR AREA REAR HARDWARE REAR ARMREST REAR GLASS ROOF SIDE RAIL B-PILLAR C-PILLAR D-PILLAR HEADLINING ROOF STRUCTURE T-ROOF/SUN ROOF	(C (1	I) YES	FRONT FOOT CONTROLS IGNITION KEYS REAR VIEW MIRROR SUNVISOR/FITTINGS (5) LEFT SIDE ONLY (6) RIGHT SIDE ONLY (7) BOTH SIDES WINDSHIELD TOP MOLDINGS LEFT A-PILLAR (UPPER OR LOWER) RIGHT A-PILLAR (UPPER OR LOWER) CENTER CONSOLE TRANSMISSION SELECTOR LEVER RIM, HORN, SPOKE	(8) NOT APPL	ICABLE	0 55 0 56 3 57 0 58 0 59 0 60 0 61 0 62 0 63 0 45 0 65 0 66 0 67
OTHER: *	41 6 43	42 8 44			REAR WINDOW WINDOW HEADER	○ 88 Q 89
					CONSOLES VERTICAL ROOF	8 70 0 71

MORE THAN ONE ITEM MAY BE NOTED.

Duplicate columns 1-8 from the previous card. Module S T 9 10		<u>2</u> 1 12	SEATS	•	ST-1
FRONT SEAT	DRIVER	PASSENT	FRONT SEAT-BACK	DRIVER	D
TYPE OF FRONT SEAT (00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE (97) OTHER:	0 5	0 5	SEAT-BACK TYPE (1) FORWARD FOLDING (2) RIGID (3) RECLINING (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN SEAT-BACK LOCK TYPE	·3	PASSENTR 3 31
(99) UNKNOWN TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	17	18	(0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	<u>/</u>
SWIVEL MECHANISM EQUIPPED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u>	<u>O</u> 20	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	34	<u>/</u> 35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	7 21	<u>/</u>	RECLINER MECHANISM HELD (0) NO	1	1
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	8 23	<u>\$</u>	(1) YES (8) NOT APPLICABLE (9) UNKNOWN	36	37
FRONT SEAT DAMAGE (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 25	<u>O</u> 26	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER: (8) NOT APPLICABLE	<u>Z</u>	<u>Z</u>
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	27	2	(9) UNKNOWN REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	8 40	₹
FRONT SEAT ROTATION			ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN	<u>&</u>	<u>8</u>
(0) NONE APPARENT (1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN	28	<u>O</u> 29	HEAD RESTRAINT DAMAGE (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	0 4	<u>0</u>

			Se	ATS S	ST-2
FRONT SEAT ADJUSTMENT	DRIVER	Passen'r	SECOND SEAT (CONT.)		
SEAT ADJUSTMENT TYPE (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN ADJUSTMENT PROVIDED	2 46	47	(0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	<u>(</u>	<u></u>
(1) 2-WAY (2) 4-WAY (3) 6-WAY (7) OTHER:	7 48	49	SECOND SEAT-BACK LOCKS	LEFT	Rіднт
SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	50	51	FOR THE FOLLOWING, USE: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	<u>\$</u>	LEFT OR CENTER, EQUIPPED LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN RIGHT, EQUIPPED	61 1 63 0 65	<u>S</u> & <u>1</u> &
PRE-CRASH POSITION (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN	3 54	<u>3</u> 55	RIGHT, HELD (3) SEAT FOLDED DOWN THIRD SEAT	<u>&</u> 67	<u></u>
SECOND SEAT	LEFT	Rівнт	EQUIPPED	1 69	70
TYPE OF SECOND SEAT (0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT (5) INTEGRAL CHILD SEAT	2 56	2 57	BACKREST DAMAGED CUSHION DAMAGED	<u>Q</u> 71 Q 73	O 72 O 74
(6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 58	<u>O</u> 59	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN Applies to any rear-seat position	-	<u>L</u>

Duplicate columns 1-8 from the previous card. Module A B Format C 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 12	AIRBAG A	AB-1
DRIVER SIDE		PASSENGER SIDE	
LOCATION OF AIRBAG		LOCATION OF AIRBAG	
STEERING WHEEL		INSTRUMENT PANEL (GLOVE BOX)	į
EQUIPPED		EQUIPPED	
(0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	13	(0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	16
DEPLOYED		DEPLOYED	
(0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	14	(0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	17
CONDITION OF AIRBAG		CONDITION OF AIRBAG	
STEERING WHEEL		Instrument Panel (GLOVE BOX)	
(0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPEDINOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	<u>O</u> 15	(0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (MOT EQUIPPEDINOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	18
DRIVER SIDE		PASSENGER SIDE AIRBAG	
STEERING WHEEL		INSTRUMENT PANEL (GLOVE BOX)	
TETHER		TETHER	
(0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	19	(0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	21
MARKED BY CONTACT		MARKED BY CONTACT	
(0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	20	(0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	<u>d</u>

AIRBAG AB-2 AIRBAG NUMBER ON DRIVER SIDE: NO VENTS NOTE AND DESCRIBE ANY AIRBAG CONTACT OR **DAMAGE ON DIAGRAM BELOW:** K-60 ->1 AIRBAG NUMBER ON PASSENGER SIDE: FLAI NO VENTS NOTE AND DESCRIBE ANY AIRBAG CONTACT OR **DAMAGE ON DIAGRAM BELOW:**

NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,

OCCUPANT INFORMATION AND INJURY CLASSIFICATION,

ARE TO BE FILLED IN

FOR EACH CASE VEHICLE OCCUPANT,

WHETHER INJURED OR NOT.


IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.

Duplicate columns 1-8 from the previous card. Module O C Format 0 11		Occupant Information	OC-1
OCCUPANT IDENTIFICATION		Physical Description	
OCCUPANT NUMBER	0/13/14	AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER	3.
ROLE OF OCCUPANT AT 1ST IMPACT		(99) UNKNOWN	20
(1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	15	AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN	2 .
Occupant Position		MASS (kg) (999) UNKNOWN (188 /b)	O 8 25
ROW LOCATION		HEIGHT (cm)	
(1) FRONT (2) SECOND	16	(999) UNKNOWN (5 ft, 9;2)	$\frac{1}{27} \frac{7}{28}$
(3) THIRD (4) FOURTH		SEX	-
(7) OTHER:		(1) MALE (2) FEMALE (9) UNKNOWN	30
LATERAL LOCATION		MEDICAL CONDITIONS	
(1) LEFT (2) LEFT CENTER	17	TREATMENT/MORTALITY (00) NONE (01) FIRST AID AT SCENE	<u>O</u> 31
(3) CENTER (4) RIGHT CENTER		(02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED	j
(5) RIGHT (6) ALL (LYING ON SEAT)		(03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS	
(8) EXTÉRNAL TO PASSENGER COMPARTMENT		(04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT	
(9) UNKNOWN		(05) FATAL, DEAD AT SCENE (06) FATAL, DOA	
POSTURE		(07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO	
(10) SITTING ON SEAT	10	31 DAYS LATER	
(11) SITTING ON SEAT IN ABNORMAL	18 19	(09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER	
POSITION (E.G. FEET ON DASH, SIDEWAYS)		(10) FATAL DEAD WITHIN UNKNOWN PERIOD	
(12) SITTING ON CONSOLE (20) ON LAP OR IN ARMS		(99) UNKNOWN	
(30) STANDING ON SEAT (40) STANDING ON FLOOR		INJURY SEVERITY SCORE (ISS)	0
(47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT		(99) UNKNOWN	33
(50) IN BASSINET (60) IN CHILD SEAT		NON-IMPACT MED. CONDITIONS	
(65) IN CHILD HARNESS (70) LYING ON SEAT		(0) NONE (1) YES, TIME & TYPE UNKNOWN	0
(80) LYING/SITTING ON PASSENGER FLOOR	1	(2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL)	35
(83) LYING/SITTING ON OTHER OBJECT IN PASSENGER		(3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE)	
COMPARTMENT: (85) ON CARGO FLOOR/FOLDED		(4) PREGNANT	
SEAT-BACK		(5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH NON-FATAL INJURY	
(87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT		(7) OTHER:	
(97) OTHER:	- 1	(CIRCLE EACH) (9) UNKNOWN	

		OCCUPANT INFORMATION	OC-2
MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	36	CHILD SEAT TYPE (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	8 A 41 42
ACTIVE RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN PASSIVE RESTRAINT SYSTEM (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN PASSIVE RESTRAINT SYSTEM USAGE (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG OPPLOYED (3) AIRBAG OPPLOYED (3) AIRBAG NOT REINSTALLED	3 37 0 38	EJECTION DEGREE OF EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, RIGHT SIDE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	O 43
(4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	40	HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	1/46

		OCCUPANT INFORMATION	OC-3
OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u>	SOURCE OF INFORMATION (1) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	7 48

INDICATE LOCATION OF INJURIES.



Duplicate columns 1-8 from the previous card.

Module <u>I</u> <u>C</u> Format <u>0</u> <u>1</u> 12

INJURY CLASSIFICATION IC-1

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.


OCCUPANT INJURY CLASSIFICATION

OCCUPANT INJURY CLASSIFICATION			PRIMARY OIC			ASSOCIATED OIC				COMMENTS					
OCCUPANT NUMBER	INJURY NUMBER	PROBAL START V IN 1ST C	BILITY (HOF WITH MOST CONTACT A	IN ORDER OF RIZONTALLY) . PROBABLE REA COLUMN. BLE CONTACT	BODY REGION 1	ASPECT Q	LESION 33	SYSTEM/ORGAN &	SEVERITY LO	BODY REGION 1	ASPECT O	LESION 3	SYSTEM/ORGAN 4	SEVERITY 10	
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
<u>01</u>	01	56						I		_	_		_	_	
↑	02	56			K	<u>R</u>	<u>_</u>	I	1		_	_			
					_				_				_	_	
					_	_		_				_	_		
					_	_									
					_	_		_		_			_		
					_	_	_		-	_	-				
ine.					_	_		_		_	_				
"Occupant Number" for each line.					_	_	_					_		_	
Number						_				_	_		_		
Occupant				į	_	_	_					_	_		
Duplicate "C									-	_			_	_	
ă 					_		_			_			-	-	
					_	_				_		_			
						_			-	_			_	_	
						_						_			
						_	_	_		_	_	_	_	_	
			GES IF NECL					_ _							

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

	CODECT ON ANEAGOT FOR	SSIBLE OCCUPA	NI CONTACT
FRONT	OF PASSENGER COMPARTMENT	SIDES	
	SUNVISOR, FITTING(S) &/OR TOP MOLDING		CUREAGE OF OIRE INSTERNOR
(12)		(20)	
•		(19)	
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(13)	
(54)		(24)	COAT HOOK
(55)			Maria
(56)		(22)	
(81)		(21)	WINDOW FRAMES (SIDE)
(02)		(0.0)	222222222
(47)		(26)	
(47)	AINDAG (AONS) COMPANIMENT DOOR/COVER		A-PILLAR
(57)	BENEATH INSTRUMENT PANEL		B-PILLAR
(53)		, ,	C-PILLAR
(48)		(17)	D-PILLAR
(86)		C	•
(00)	VERTICAL CONSOLE	FLOOR	
(28)	FOOT CONTROLS (INCL. BARKING BRAKE BEG		FLOOR
(20)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)		CONSOLE ON FLOOR OR BETWEEN SEATS
(00)	STEEDING ASSEMBLY (SPECIFIC AREA CONTROLLED	(44)	
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)	(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(65)	STEERING WHEEL	. (28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
(66)	STEERING WHEEL COLUMN	(91)	KICKPANEL
(59)	TRANSMISSION LEVER ON COLUMN		
()		Roof	
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	(25)	ROOF OR CONVERTIBLE TOP
(82)	INSTRUMENT(S)	(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)	(26)	
(84)	PARKING BRAKE HANDLE IN FRONT	(24)	COAT HOOK
(67)	IGNITION KEY	(18)	DOME LIGHT
(06)	MIRROR	(39)	BACKLIGHT HEADER
(04)	HEATER OR AIR CONDITIONING DUCTS	(68)	ROOF MOUNTED CONTROLS/CONSOLE
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)		ROLL BAR
(08)	RADIO (BUILT IN)	V	
(58)	ADD-ON TAPE DECK, RADIO, A/C	EXTERIO	OR SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES		OUTSIDE SURFACE OF CASE VEHICLE
		(5.7	(SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
(88)	SURFACE OF REAR INTERIOR	(60)	EXTERIOR OF CASE VEHICLE (E.G.
(23)	REAR WINDOW	(00)	OUTSIDE MIRRORS, ANTENNA, TRIM)
(39)	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
		(64)	TIRES OF CASE VEHICLE
INTERIOR	R-GENERAL	(04)	TINES OF CASE VEHICLE
(11)	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	REVOND	CASE VEHICLE BOUNDARY
(59)	TRANSMISSION LEVER ON STEERING COLUMN	(36)	AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	HOOD OF OTHER VEHICLE
(07)	PARKING BRAKE HANDLE (LOCATION UNKNOWN)	(71)	
(84)	PARKING BRAKE HANDLE IN FRONT	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(70)	OUTSIDE MIRRORS, ANTENNA, TRIM)
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
·/	TOTAL	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
(29)	FRONT SEAT-BACK(S)	(75)	TRUNK OF OTHER VEHICLE
(51)	FRONT SEAT CUSHION	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
	REAR SEAT CUSHION & BACK	(77)	TIRES OF OTHER VEHICLE
(49)	ARMREST ON SEAT	(78)	GROUND
(89)	UNDER SEAT BOTTOM	(79)	WATER
(03)	ONDER DOLLOW	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
(33)	RESTRAINT SYSTEM HARDWARE		OR WATER. PLEASE DESCRIBE.)
(34)	RESTRAINT SYSTEM WEBBING	B	
(87)	AIR CUSHION SKIN (AIRBAG)		ATING OBJECTS
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER		OTHER VEHICLE
(47) (46)	AIRBAG GAS	(72)	OBJECTS (DESCRIBE)
		• •	
(48)	KNEE RESTRAINT	MISCELL	
(30)	HEAD RESTRAINT	(00)	NO CONTACT (INVALID FIELD FORM CODE)
	CHILD SEAT RESTRAINTS	(38)	OTHER (E.G. FIRE. DESCRIBE)
	CHILD SEAT		SPARE TIRE
	INTERIOR LOOSE OBJECT	(96)	INDUCED
	OTHER OCCUPANT(S)	(97)	EJECTED, UNKNOWN CONTACT
	INTERNAL FLYING GLASS (FROM ANY SOURCE)	· ·	IMPACT FORCE, "WHIPLASH",
(41)	UNKNOWN INTERIOR SURFACE	• •	HYPEREXTENSION/COMPRESSION
		(99)	UNKNOWN AREA OF CONTACT

(99) UNKNOWN AREA OF CONTACT



CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

-			
	BODY	DECI	\sim
1	BULL	BEGI	UIV

- (H) HEAD/SKULL
- (F) FACE
- (N) NECK
- (S) SHOULDER
- (X) UPPER EXTREMITIES
- (A) ARM (UPPER)
- (E) ELBOW
- (R) FOREARM
- (W) WRIST/HAND
- (C) CHEST
- (M) ABDOMEN
- (B) BACK
- (P) PELVIC/HIP
- (Y) LOWER EXTREMITIES
- (T) THIGH
- (K) KNEE
- (L) LEG (LOWER)
- (Q) ANKLE/FOOT
- (O) WHOLE BODY
- (U) UNKNOWN

3 LESION

- (L) LACERATION
- (C) CONTUSION
- (A) ABRASION
- (F) FRACTURE
- (P) PERFORATION, PUNCTURE
- (K) CONCUSSION
- (V) AVULSION
- (R) RUPTURE
- (S) SPRAIN
- (D) DISLOCATION
- (N) CRUSH
- (M) AMPUTATION
- (B) BURN
- (G) DETACHMENT, SEPARATION
- (Z) FRACTURE AND DISLOCATION
- (T) STRAIN
- (E) TOTAL SEVERANCE, TRANSECTION
- (O) OTHER
- (U) UNKNOWN

4 SYSTEM/ORGAN

- (S) SKELETAL
- (V) VERTEBRAE
- (J) JOINTS
- (D) DIGESTIVE
- (L) LIVER
- (N) NERVOUS SYSTEM
- (B) BRAIN
- (C) SPINAL CORD
- (E) EARS
- (O) EYES
- (A) ARTERIES
- (H) HEART
- (Q) SPLEEN
- (G) UROGENITAL
- (K) KIDNEYS
- (R) RESPIRATORY
- (P) PULMONARY/LUNGS
- (M) MUSCLES
- (T) THYROID, OTHER ENDOCRINE GLAND
- (I) INTEGUMENTARY (SKIN)
- (W) ALL SYSTEMS IN REGION
- (U) UNKNOWN

2 ASPECT

- (R) RIGHT
- (L) LEFT
- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (I) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

SEVERITY 5 SYSTEM/ORGAN 4 LESION 9 ASPECT 0 BODY REGION 1

5 SEVERITY (OR "AIS", ABBREVIATED INJURY SCALE)

- (0) NONE
- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (6) MAXIMUM
- (9) UNKNOWN













117500 46





ot Augilobi





et Availabl









et Availab



net Aveils





Availat



Best Availab







oldeliev.

















































COULDANT Briver 56 year-old Names
ETXTUPE TXL one (S.E. 8 or 1 MAID 89 kg CBE 80
EECTEAAT'S 3-paint ball and arone orining deployed
SEVERETY 18AS-1 - 65 - 2



